



## Bearing Argentina, S.A.



### 55 mm x 80 mm x 13 mm RA17013UUC0 Crossed Roller Bearing 170x196x13mm

Bearing No. 6911

6911 Bearing 2D drawings and 3D CAD models

Size	55x80x13 mm
Bore Diameter	55 mm
Outer Diameter	80 mm
Width	13 mm
d	55 mm
D	80 mm
B	13 mm
C	13 mm
r min.	1 mm
da min.	60 mm
da max	61,5 mm
Da max.	75 mm
ra max.	1 mm
Weight	0,189 Kg
Basic dynamic load rating (C)	16 kN
Basic static load rating (C0)	13,3 kN
(Grease) Lubrication Speed	8 000 r/min
(Oil) Lubrication Speed	9 500 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	0.08
EAN	0029176026843
Product Group	B00308



## Bearing Argentina, S.A.

Enclosure	Open
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	55MM Bore; 80MM Outside Diameter; 13MM Outer Race Diameter; Open; Ball Bearing; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	<a href="http://www.nskamericas.com">http://www.nskamericas.com</a>
Manufacturer Item Number	6911
Weight / LBS	0.183
Outside Diameter	3.15 Inch   80 Millimeter
Outer Race Width	0.512 Inch   13 Millimeter
Bore	2.165 Inch   55 Millimeter
bore diameter:	55 mm
static load capacity:	13300 N
outside diameter:	80 mm
precision rating:	ABEC 1 (ISO Class Normal)
overall width:	13 mm



## Bearing Argentina, S.A.

finish/coating:	Uncoated
bore type:	Round
cage material:	Steel
closure type:	Open
outer ring width:	13 mm
row type & fill slot:	Single Row Non-Fill Slot
fillet radius:	1 mm
internal clearance:	C0
maximum rpm:	9500 RPM
operating temperature range:	Maximum of +250 ° F
series:	69
dynamic load capacity:	16000 N
SRI	3.7
hidYobi	6911
LangID	1
D_	80
SREX	0.02
B_	13
da min	60
hidTable	ecat_NSRDGB
Oil rpm	9500
SRE	3.7
mass	0.189
GRS rpm	8000
ra	1
SRIX	0.02
D_a	75
SRIN	-0.02
C0	13.3
fo	16.2
SREN	-0.02
DE_	74.644



## Bearing Argentina, S.A.

Prod_Type3	DGBB_SR_OT
DA_	7.144
bomp	0
Z_	16
yobi	6911
C_conv	16000
ALPHA_	0
SDM_	67.5
r	1
KBRG	6101
SBRG	19
DI_	60.356