



Bearing Argentina, S.A.



50 mm x 90 mm x 20 mm RU297XUUC0 Crossed Roller Bearing 210x380x40mm

Bearing No. 6210

6210 Bearing 2D drawings and 3D CAD models

Size	90x50x20 mm
Bore Diameter	90 mm
Outer Diameter	50 mm
Width	20 mm
d	50 mm
D	90 mm
B	20 mm
d ₁	62.51 mm
D ₂	81.61 mm
r _{1,2} - min.	1.1 mm
d _a - min.	57 mm
D _a - max.	83 mm
r _a - max.	1 mm
Basic dynamic load rating - C	37.1 kN
Basic static load rating - C ₀	23.2 kN
Fatigue load limit - P _u	0.98 kN
Reference speed	15000 r/min
Limiting speed	10000 r/min
Calculation factor - k _r	0.025
Calculation factor - f ₀	14.4
Category	Single Row Ball Bearings
Inventory	1.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A



Bearing Argentina, S.A.

Weight / Kilogram	0.45
EAN	7316577085894
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	50MM Bore; 90MM Outside Diameter; 20MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.skf.com
Manufacturer Item Number	6210
Weight / LBS	1
Bore	1.969 Inch 50 Millimeter
Outside Diameter	3.543 Inch 90 Millimeter
Outer Race Width	0.787 Inch 20 Millimeter
d ₁	62.51 mm
D ₂	81.61 mm
r _{1,2} min.	1.1 mm



Bearing Argentina, S.A.

d_a min.	57 mm
D_a max.	83 mm
r_a max.	1 mm
Basic dynamic load rating C	37.1 kN
Basic static load rating C_0	23.2 kN
Fatigue load limit P_u	0.98 kN
Calculation factor k_r	0.025
Calculation factor f_0	14.4
Mass bearing	0.46 kg